

STANDARD LAMINATE FINISHES

Emerald Red Hunter Green Partnerer Gunstock Floured Walnut Mahagany Gradi

STANDARD METAL FINISH COLORS



EDGE FINISHES

VINYL COLOR MOLDINGS



Black
Brown
Gray
Putty
Blue
Yellow

PREMIUM TOP OPTIONS



Perma-Tuff Edging

PREMIUM LAMINATE FINISHES

(Available at additional cost)







(Additional laminate selections are available upon request)

WARRANTY

EF, Designer Series Folding Tables Stages and Risers LW Series Folding Tables Mobile Utility Tables Heavy-Duty Table Caddies FN, F, TL, TLA, FA Series Folding Tables Activity Tables Folding Benches Standard Table and Stage Caddies Folding Chair Caddies 10 years 10 years 5 years 5 years 5 years

1 year

1 year

1 year

1 year

1 year

Midwest warrants products purchased hereunder to be free of defects in materials and workmanship, from the date of shipment for the period of time as follows:

This warranty shall not apply in the event products are damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by Midwest, where the products are damaged during shipment, or where the date stamps on the product have been defaced, modified or removed, unless considered unenforceable or unlawful under applicable law. All implied warranties including, but not limited to, warranties of merchantability and fitness for a particular purpose are hereby excluded. Purchaser's remedy, if any, for any defective products shall be limited to a refund, replacement or adjustment by Midwest of the products at Midwest's option and shall, in no event, include damages of any kind, whether incidental, consequential or otherwise.






A plywood frame supported by a 16 gauge steel channel frame resists impact damage and carries heavy loads with ease.



Extra thick, 14 gauge steel leg base stands up to heavy use without bending. Non-removable, high impact plastic leg glides protect floors.



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.




Tops are reinforced against breakage with a square corner steel frame.

FN SERIES FOLDING TABLES

Table	Model	Size	W T
Style	No	W x L x H	LBS
RECTANGULAR	305FN	30" x 60" x 29"	55
	306FN	30" x 72" x 29"	59
	308FN	30" x 96" x 29"	73
	366FN	36" x 72" x 29"	71
	368FN	36" x 96" x 29"	83





Solid \mathcal{H} " thick plywood is surfaced with high pressure plastic laminate, sealed with a backing sheet and edged with thick vinyl molding.



Tops are reinforced against breakage with a square corner steel frame



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.



Extra thick, 14 gauge steel leg construction stands up to heavy use without bending. Non-removable, high impact plastic leg glides protect floors.

SPECIFICATIONS

TOPS - EF Series Tops are constructed of solid, % thick, AC grade, exterior glue plywood, surfaced with high pressure plastic laminate and backed with a phenolic sheet to prevent moisture penetration. Tops are edged with % thick, vinyl T-molding, secured with staples from the underside of the table top at regular intervals.

TOP SUPPORT STRUCTURE - Table tops are supported by a formed steel channel frame of 111/4,6" deep 16 gauge steel. Frames are secured to the table top with screws placed no greater than 10" apart.

LEG ASSEMBLIES - Leg assemblies are wishbone style, constructed with onepiece load bearing vertical members of 1.05" diameter, 14 gauge steel tubing. Each leg is capped with high impact plastic glides, secured with internal spring steel grippers. Tables less than 48" in length or diameter are furnished with independent folding legs of 1.05" diameter, 14 gauge steel tubing. Comfort Leg assemblies are constructed of 1½" diameter steel tubing.

LEG BRACE MECHANISMS - Folding leg braces are constructed of %" wide, %" thick edge radiused steel. Coil-spring actuated, case-hardened steel detents engage mating holes in the brace to secure the brace automatically when it is opened. Leg braces are attached to leg assemblies and pivot bracket by the use of steel shoulder rivets.

METAL FINISH - All metal parts are thoroughly cleaned and phosphatized to enhance paint adhesion. Metal parts are then finished with a thermofused epoxy powder coating.

PREMIUM TOP OPTIONS



Aluminum Edge Molding



Perma-Tuff Edging (with high pressure laminate backing)



Comfort Leg Seminar Table



Standard Leg Seminar Table

EF SERIES FOLDING TABLES

Table	Model	Size	WT
Style	No	W x L x H	LBS
RECTANGULAR	430EF	30" x 48" x 30"	47
	530EF	30" x 60" x 30"	55
	630EF	30" x 72" x 30"	62
	830EF	30" x 96" x 30"	77
	636EF	36" x 72" x 30"	76
	836EF	36" x 96" x 30"	86
ROUND	R30EF	30" dia. x 30"	29
	R36EF	36" dia. x 30"	33
	R42EF	42" dia. x 30"	44
	R48EF	48" dia. x 30"	55
	R54EF	54" dia. x 30"	66
	R60EF	60" dia. x 30"	78
	R66EF**	66" dia. x 30"	81
	R72EF**	72" dia. x 30"	87
GAME	SQ30EF	30" x 30" x 30"	36
	SQ36EF	36" x 36" x 30"	41
STANDARD SEMINAR	518EF 618EF 818EF 524EF 624EF 824EF	18" x 60" x 30" 18" x 72" x 30" 18" x 96" x 30" 24" x 60" x 30" 24" x 72" x 30" 24" x 96" x 30"	47 48 61 53 60 66
COMFORT LEG SEMINAR	CP518EF* CP618EF* CP818EF* CP524EF* CP624EF* CP824EF*	18" x 60" x 30" 18" x 72" x 30" 18" x 96" x 30" 24" x 60" x 30" 24" x 72" x 30" 24" x 96" x 30"	49 50 63 57 63 70


^{*30&}quot; height available upon request.

^{**}The laminate surface on these models is made from two pieces of plastic. A seam will be visible with all top colors, however, wood grain patterns help make seams less visible.











Lightweight Easy to carry



Comfort Leg Seminar Table



Standard Leg Seminar Table



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.



1" diameter 16 gauge steel legs are capped with non-removable, high impact plastic glides.



Wishbone style legs feature onepiece floor to table top support and double cross bracing for maximum strength.

Brown

METAL FINISH & EDGE MOLDING COLORS



ABS PLASTIC COLORS

SPECIFICATIONS

TOPS - Tops are constructed with two thermoformed sheets of heavy gauge ABS plastic molded to encase a structural frame of laminated wood. Impact absorbing reinforcements of injection molded ABS plastic provide protection to the corners of rectangular tabletops. High impact, ABS bumper molding shields the edges of the tabletop.

LEG ASSEMBLIES - Leg assemblies are wishbone style, constructed with onepiece load bearing vertical members of 1" diameter, 16 gauge steel tubing. Legs are capped with high impact plastic glides, secured with internal spring steel grippers. Tables less than 48" in length or diameter are furnished with independent folding legs of 1.05" diameter, 14 gauge steel tubing.

LEG BRACE MECHANISMS - Folding leg braces are constructed of %" wide, %" thick edge radiused steel. Coil-spring actuated, case-hardened steel detents engage mating holes in the brace to secure the brace automatically when it is opened. Leg braces are attached to leg assemblies and pivot bracket by the use of steel shoulder rivets. Pivot brackets are anchored to the table tops with screws and flathead bolts and locking nuts.

METAL FINISH - All metal parts are thoroughly cleaned and phosphatized to enhance paint adhesion. Metal parts are then finished with a thermofused epoxy powder coating.

LW SERIES FOLDING TABLES

	0 11 15220		
TABLE	Model	SIZE	WT
STYLE	No	W x L x H	LBS
BANQUET	530LW	30" x 60" x 30"	37
	630LW	30" x 72" x 30"	42
	830LW	30" x 96" x 30"	52
	636LW	36" x 72" x 30"	51
	836LW	36" x 96" x 30"	61
ROUND	R30LW	30" dia. x 30"	26
	R48LW	48" dia. x 30"	45
	R60LW	60" dia. x 30"	58
	R66LW	66" dia. x 30"	67
	R72LW	72" dia. x 30"	81
1/2 ROUND	HR30LW	½ of 30" dia. x 30"	24
	HR48LW	½ of 48" dia. x 30"	34
	HR60LW	½ of 60" dia. x 30"	44
	HR72LW	½ of 72" dia. x 30"	52
	HR96LW	½ of 96" dia. x 30"	84
1/4 ROUND	QR48LW	¼ of 48" dia. x 30"	21
	QR60LW	¼ of 60" dia. x 30"	27
	QR72LW	¼ of 72" dia. x 30"	32
	QR96LW	¼ of 96" dia. x 30"	43
SQUARE	SQ30LW	30" x 30" x 29"	28
	SQ36LW	36" x 36" x 29"	32
SERPENTINE	\$305LW	W" x A"/B x H" 30" x 30"/60" x 30"	55
STANDARD SEMINAR	618LW	18" x 72" x 30"	31
	818LW	18" x 96" x 30"	37
	624LW	24" x 72" x 30"	36
	824LW	24" x 96" x 30"	44
COMFORT LEG SEMINAR	CP618LW* CP818LW* CP624LW* CP824LW*	18" x 72" x 30" 18" x 96" x 30" 24" x 72" x 30" 24" x 96" x 30"	33 39 38 46

These models are available with gray, beige and brown tops only.

*30" height available upon request. Some table styles such as serpentines, 1/4" round, and 1/2" round manufactured with solid plywood core tops, surfaced with ABS plastic and edged with vinyl molding.

LW SPECIALTY MODELS

EW 31 EON ELT WODELS					
ADJUSTABLE HEIGHT	530LWA 630LWA 830LWA	30"x 60"x 22"-29" 30"x 72"x 22"-29" 30"x 96"x 22"-29"	38 43 53		
ADJUSTABLE JR. HEIGHT	530LWJ 630LWJ 830LWJ	30"x 60"x18"-25" 30"x 72"x18"-25" 30"x 96"x18"-25"	37 42 52		
FIXED HEIGHT Wishbone leg	530LW 630LW 830LW	30" x 60" x 30" 30" x 72" x 30" 30" x 96" x 30"	37 42 52		

These models are available with red, green, blue, yellow, gray, beige and brown tops.







F SERIES FOLDING TABLES					
TABLE	Model	Size	W T		
STYLE	No	W x L x H	LBS		
SEMINAR	518F	18" x 60" x 29"	48		
	618F	18" x 72" x 29"	52		
	818F	18" x 96" x 29"	63		
	524F	24" x 60" x 29"	55		
	624F	24" x 72" x 29"	62		
	824F	24" x 96" x 29"	79		
RECTANGULAR	3060F*	30" x 60" x 29"	62		
	3072F*	30" x 72" x 29"	72		
	3096F*	30" x 96" x 29"	90		
	3672F*	36" x 72" x 29"	82		
	3696F*	36" x 96" x 29"	104		
36" HEIGHT	3072F36	30" x 72" x 36"	74		
	3096F36	30" x 96" x 36"	92		
	3672F36	36" x 72" x 36"	84		
	3696F36	36" x 96" x 36"	106		
ROUND	R48F	48" dia. x 29"	63		
	R60F	60" dia. x 29"	91		
	R72F**	72" dia. x 29"	145		
SQUARE	SQ30F	30" x 30" x 29"	35		
	SQ36F	36" x 36" x 29"	40		

^{*}Furnished with pedestal style legs.

**The laminate surface on these models is made from two pieces of plastic. A seam will be visible with all top colors, however, wood grain patterns help make seams less visible.



Extra thick, 14 gauge steel leg construction stands up to heavy use without bending. Non-removable, high impact plastic leg glides protect floors.



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.



Tops are reinforced against breakage with a square corner steel frame.

SPECIFICATIONS

TOPS - F Series Tops are constructed of solid, %" thick, 47lb industrial grade, particle-board, surfaced with high pressure plastic laminate and backed with a phenolic sheet to prevent moisture penetration. Tops are edged with vinyl T-molding, secured with staples from the underside of the table top at regular intervals.

TOP SUPPORT STRUCTURE - Table tops are supported by a formed steel channel frame of 1-1%" deep 16 gauge steel. Frames are secured to the table top with screws placed no greater than 10" apart.

LEG ASSEMBLIES - Wishbone leg assemblies are constructed with one-piece load bearing members of 1.05" diameter, 14 gauge steel tubing. Pedestal style legs are constructed with base sections of 1.05" diameter, 14 gauge tubing and all other components being of 1" diameter, 16 gauge tubing. Legs are capped with high impact plastic glides, secured with internal spring steel grippers. Tables less than 48" in length or diameter are furnished with independent folding legs of 1.05" diameter, 14 gauge steel tubing.

LEG BRACE MECHANISMS - Folding leg braces are constructed of %" wide, %" thick edge radiused steel. Coil-spring actuated, case-hardened steel detents engage mating holes in the brace to secure the brace automatically when it is opened. Leg braces are attached to leg assemblies and pivot bracket by the use of steel shoulder rivets.

METAL FINISH - All metal parts are thoroughly cleaned and phosphatized to enhance paint adhesion. Metal parts are then finished with a thermofused epoxy powder coating.

Cafeteria Seating

FOLDING BENCHES

Folding benches offer an economical solution for your cafeteria seating needs . Benches may be folded quickly for compact storage. The sturdy frame and heavy-duty leg design provides safe seating for adults. A durable high-pressure laminate surface stands up to many years of frequent cleaning and constant use.





From the lecture hall to the boardroom, our TL Series folding tables are attractive, yet durable, with reliable performance that will fit your budget. The TL Series table is available with fixed or adjustable legs, appointed with decorative panels that match the top surface. Adjustable legs may be repositioned vertically in 1" increments to conform to the task at hand.



TLA SERIES - HEIGHT ADJUSTMENT





Vertical adjustment is accomplished quickly by pulling out on the spring loaded locking pin.

TL SERIES PLYWOOD CORE Fixed Height Models

TLA48R

IL JERIES FEI WOOD	COKL	Tixed Height Wo	ueis
TABLE	Model	SIZE	WT
STYLE	No	W x L x H	LBS
SEMINAR	TL186EF	18" x 72" x 29"	57
	TL188EF	18" x 96" x 29"	67
	TL246EF	24" x 72" x 29"	68
	TL248EF	24" x 96" x 29"	78
	TL305EF*	30" x 60" x 29"	67
CONFERENCE UTILITY	TL306EF TL308EF TL366EF TL368EF	30" x 72" x 29" 30" x 96" x 29" 36" x 72" x 29" 36" x 96" x 29"	76 91 84 91

TL SERIES PARTICLEBOARD CORE	Fixed Height Models

Table	Model	Size	W T
Style	No	W x L x H	LBS
SEMINAR	TL185*	18" x 60" x 29"	58
	TL186	18" x 72" x 29"	62
	TL188	18" x 96" x 29"	73
	TL244*	24" x 48" x 29"	67
	TL245*	24" x 60" x 29"	71
	TL246	24" x 72" x 29"	74
	TL248	24" x 96" x 29"	87
CONFERENCE UTILITY	TL305* TL306 TL308 TL366 TL368	30" x 60" x 29" 30" x 72" x 29" 30" x 96" x 29" 36" x 72" x 29" 36" x 96" x 29"	74 84 101 94 114

^{*}Tables will not fold flat for stacking.

TLA SERIES PLYWOOD CORE

Adjustable Height Models

TABLE	Model	SIZE	Table Height Options			W T
STYLE	No	W x L	STANDARD TLA-1 TLA-2			LBS
SEMINAR	TLA186EF	18" x 72"	22"-29"	19"-26"	27"-34"	57
	TLA188EF	18" x 96"	22"-29"	19"-26"	27"-34"	67
	TLA245EF	24" x 60"	22"-26"	19"-26"	27"-34"	71
	TLA246EF	24" x 72"	22"-26"	19"-26"	27"-34"	68
	TLA248EF	24" x 96"	22"-29"	19"-26"	27"-34"	78
CONFERENCE UTILITY	TLA305EF TLA306EF TLA308EF TLA366EF TLA368EF	30" x 60" 30" x 72" 30" x 96" 36" x 72" 36" x 96"	22"-29" 22"-29" 22"-29" 22"-29" 22"-29"	19"-26" 19"-26" 19"-26" 19"-26" 19"-26"	27"-34" 27"-34" 27"-34" 27"-34" 27"-34"	67 76 91 84 91
ROUND	TLA48REF	48" dia.	22"-29"	19"-26"	27"-34"	60

TLA SERIES PARTICLEBOARD CORE

Adjustable Height Models

Table	Model	Size	TABLE HEIGHT OPTIONS STANDARD TLA-1 TLA-2			WT
Style	No	W x L				LBS
SEMINAR	TLA186	18" x 72"	22"-29"	19"-26"	27"-34"	62
	TLA188	18" x 96"	22"-29"	19"-26"	27"-34"	73
	TLA244	24" x 48"	22"-29"	19"-26"	27"-34"	67
	TLA245	24" x 60"	22"-26"	19"-26"	27"-34"	71
	TLA246	24" x 72"	22"-26"	19"-26"	27"-34"	74
	TLA248	24" x 96"	22"-29"	19"-26"	27"-34"	87
CONFERENCE UTILITY	TLA305 TLA306 TLA308 TLA366 TLA368	30" x 60" 30" x 72" 30" x 96" 36" x 72" 36" x 96"	22"-29" 22"-29" 22"-29" 22"-29" 22"-29"	19"-26" 19"-26" 19"-26" 19"-26" 19"-26"	27"-34" 27"-34" 27"-34" 27"-34" 27"-34"	76 84 101 94 114
ROUND	TLA48R	48" dia.	22"-29"	19"-26"	27"-34"	68

Comfort Leg tables for classroom, seminar and training facilities offer unobstructed knee space not available with other folding tables. Tables quickly fold for compact storage when required, yet are incredibly stable when opened for use. Conference/utility models look good enough for the boardroom, but their plywood core tops provide the durability to withstand many years of rough use.







PLYWOOD CORE TOP



Solid $\mbox{\em 4"}$ thick plywood is surfaced with high pressure plastic laminate, sealed with a backing sheet and edged with vinyl molding.

PREMIUM TOP OPTIONS







Perma-Tuff Edging

METAL FINISH COLORS



DESIGNER SERIES

Table	POWDERCOAT	CHROME	Size	WT
Style	LEG FINISH	LEG FINISH	W x L x H	LBS
COMFORT LEG SEMINAR	CP518EF CP618EF CP818EF CP524EF CP624EF CP824EF	CS518EF CS618EF CS818EF CS524EF CS624EF CP824EF	18" x 60" x 30" 18" x 72" x 30" 18" x 76" x 30" 24" x 60" x 30" 24" x 72" x 30" 24" x 96" x 30"	49 50 63 5 63 70
CONFERENCE UTILITY	DP530EF*	DS530EF*	30" x 60" x 29"	53
	DP630EF	DS630EF	30" x 72" x 29"	59
	DP830EF	DS830EF	30" x 96" x 29"	73
	DP636EF	DS636EF	36" x 72" x 29"	73
	DP836EF	DS836EF	36" x 96" x 29"	82
MODESTY PANELS	MP510 MP610 MP810		10" x 60" 10" x 72" 10" x 92"	9 10 13


30" height available upon request.

^{*}Legs do not fold flat for stacking. Store on model TEC caddy. Modesty panels available only on 18" and 24" models.





Vinyl BullInose edge



Optional PermaTuff polyurethene epoxy edge



A self-locking screw draws the leg insert tightly against the leg housing for a rigid connection. Leg inserts are chrome plated for durability and are adjustable in 1" increments



Formed steel I beams are furnished on all tables 60° and longer to prevent sagging.



Assembly is fast and easy. Simply slide the leg into the factory equipped mounting bracket and insert one screw to lock the leg in place

PARTICLEBOARD CORE ACTIVITY TABLES

Table Style	Size W x L x H	W _T	ADJ. HEIGHT CHROME LEG INSERTS MODEL NO	29" FIXED HT POWDERCOATED LEGS MODEL NO
Rectangular	24" x 36" x 22-29" 24" x 48" x 22-29" 24" x 60" x 22-29" 24" x 72" x 22-29" 30" x 48" x 22-29" 30" x 60" x 22-29" 30" x 72" x 22-29" 30" x 96" x 22-29" 36" x 60" x 22-29" 36" x 72" x 22-29" 42" x 60" x 22-29"	41 54 66 74 60 76 88 106 89 105 113	AA324F AA424F AA524F AA624F AA430F AA530F AA630F AA830F AA636F AA636F AA636F AA542F	AF324F AF424F AF524F AF624F AF430F AF530F AF630F AF830F AF536F AF536F AF542F
Round	36" dia. x 22-29" 42" dia. x 22-29" 48" dia. x 22-29" 60" dia. x 22-29"	48 59 74 109	AAR36F AAR42F AAR48F AAR60F	AFR36F AFR42F AFR48F AFR60F
	36" x 36" x 22-29" 42" x 42" x 22-29" 48" x 48" x 22-29"	56 76 99	AASQ36F AASQ42F AASQ48F	AFSQ36F AFSQ42F AFSQ48F
Square ½ Round	½ of 48" dia. x 22-29"	42	AAHR48F	AFHR48F

PARTICLEBOARD CORE ACTIVITY TABLES

Table Style	Size W x L x H	W _T	ADJ. HEIGHT CHROME LEG INSERTS MODEL NO	29" FIXED HT POWDERCOATED LEGS MODEL NO
Trapezoid	24" x 24" x 48" x 22-29" 30" x 30" x 60" x 22-29"	37 51	AATP424F AATP530F	AFTP424F AFTP530F
Kidney	48" x 72" x 22-29" 48" x 96" x 22-29"	110 156	AAKY648F AAKY848F	AFKY648F AFKY848F
Horseshoe	60" x 66" x 22-29"	124	AAHS666F	AFHS666F
Clover	48" dia. x 22-29"	68	AAC48F	AAFC48F
Flower	60" dia. x 22-29"	105	AAF60F	AFF60F

Lower height tables that adjust from 17" to 25" are available upon request. Black metal finish and edge molding are standard. Tops are constructed of solid 47 lb industrial grade particleboard core,edged with vinyl bullnose molding and are 1 ¼" thick.

PLYWOOD CORE ACTIVITY TABLES

Table Style	Size W x L x H	W _T	ADJ. HEIGHT CHROME LEG INSERTS MODEL NO	29" FIXED HT POWDERCOATED LEGS MODEL NO
Rectangular	24" x 36" x 22-29" 24" x 48" x 22-29" 24" x 60" x 22-29" 24" x 72" x 22-29" 30" x 48" x 22-29" 30" x 60" x 22-29" 30" x 72" x 22-29" 30" x 96" x 22-29" 36" x 60" x 22-29" 36" x 72" x 22-29" 42" x 60" x 22-29"	30 39 49 55 60 45 55 66 67 77 84	AA324EF AA424EF AA524EF AA624EF AA430EF AA630EF AA630EF AA630EF AA636EF AA636EF AA636EF	AF324EF AF424EF AF524EF AF624EF AF430EF AF530EF AF630EF AF836EF AF536EF AF546EF AF542EF
Round	36" dia. x 22-29" 42" dia. x 22-29" 48" dia. x 22-29" 60" dia. x 22-29"	25 41 55 81	AAR36EF AAR42EF AAR48EF AAR60F	AFR36EF AFR42EF AFR48EF AFR60EF
	36" x 36" x 22-29" 42" x 42" x 22-29" 48" x 48" x 22-29"		AASQ36EF AASQ42EF AASQ48EF	AFSQ36EF AFSQ42EF AFSQ48EF
Square ½ Round	½ of 48" dia. x 22-29"	32	AAHR48EF	AFHR48EF

PLYWOOD CORE ACTIVITY TABLES

Table Style	Size W x L x H	WT LBS	ADJ. HEIGHT CHROME LEG INSERTS MODEL NO	29" FIXED HT POWDERCOATED LEGS MODEL NO
Trapezoid	24" x 24" x 48" x 22-29" 30" x 30" x 60" x 22-29"	27 38	AATP424EF AATP530EF	AFTP424EF AFTP530EF
Kidney	48" x 72" x 22-29" 48" x 96" x 22-29"	89 119	AAKY648EF AAKY848EF	AFKY648EF AFKY848EF
Horseshoe	60" x 66" x 22-29"	95	AAHS666EF	AFHS666EF
Clover	48" dia. x 22-29"	51	AAC48EF	AAFC48EF
Flower	60" dia. x 22-29"	77	AAF60EF	AFF60EF

Lower height tables that adjust from 17" to 25" are available upon request. Black metal finish and edge molding are standard. Tops are constructed of solid 47 lb industrial grade particleboard core, edged with vinyl bullnose molding and are 1 %" thick.

Adjustable Pedestal Leg

ACTIVITY TABLES



Legs are adjustable in one inch increments.

Support beam is in contact with the underside of the table to

prevent sagging.



ADJ. PEDESTAL LEG TABLES	Particle Board To



Table Style	Model <i>N</i> o	SIZE W x L x H	WT LBS
Rectangular	AP324F AP424F AP524F AP624F AP430F AP530F AP530F AP630F AP636F AP636F AP636F	24" x 36" x 23-30" 24" x 48" x 23-30" 24" x 60" x 23-30" 24" x 72" x 23-30" 30" x 48" x 23-30" 30" x 60" x 23-30" 30" x 72" x 23-30" 36" x 60" x 23-30" 36" x 72" x 23-30" 42" x 60" x 23-30"	52 66 79 88 72 89 102 102 119 126
Trapezoid	APHR530F	30" x 30" x 60" x 23"-30"	64
	APHR60F	60" dia. x 30" x 23"-30"	55
1/2 Round	APR48F	48" dia. x 29"	85



ADJ. PEDESTA	L LEG TAB	LES Plywood	d Top
TABLE STYLE	Model <i>No</i>	Size W x L x H	WT LBS
Rectangular	AP324EF AP424EF AP524EF AP624EF AP430EF AP530EF AP630EF AP636EF AP636EF AP636EF AP642EF	24" x 36" x 23-30" 24" x 48" x 23-30" 24" x 60" x 23-30" 24" x 72" x 23-30" 30" x 48" x 23-30" 30" x 60" x 23-30" 30" x 72" x 23-30" 36" x 60" x 23-30" 36" x 72" x 23-30" 42" x 60" x 23-30"	41 50 60 66 56 66 77 78 88 95
Trapezoid	APHR530EF	30" x 30" x 60" x 23"-30"	49
	APHR60EF	60" dia. x 30" x 23"-30"	43
1/2 Round	APR48EF	48" dia. x 29"	66



13



Cafe tables feature easy to assemble, sturdy, cast iron bases that may be matched with the top of your choice. Tops are available in a wide range of attractive, yet durable, high-pressure plastic laminates. Choose the top that suits your environment and budget; economical particleboard core tops with vinyl edge molding or solid plywood core tops with *PermaTuff*, epoxy urethane edge treatment for maximum durability.

CAFE TABLE BASES

Model	Size	WT
No	W x L x H	LBS
CBR1730	17" dia. x 28"	29
CBR1742	17" dia. x 41"	30
CBR2230	22" dia. x 28"	40
CBR2242	22" dia. x 41"	41
CBR3330	33" dia. x 28"	71
CB2230	22" x 22" x 28"	20
CB3030	30" x 30" x 28"	23
CB52230	5" x 22" x 28"	14
CB52242	5" x 22" x 41"	15
CBLE	Auto 2 1/2" leveling guides	

Available in black finish only. Bases are furnished with manual leveling glides.





Available in 28" and 41" heights

BASE SELECTION CHART

BASE SELECT	BASE SELECTION CHART					
Top Size	4 POINT Base No	ROUND BASE NO	BI-POINT BASE NO			
24" x 24"	CB2230	CBR1730 CBR1742				
24" x 30"	CB2230	CBR1730 CBR1742				
24" X 72"			CB52230 CB52242			
24" X 96"			CB52230 CB52242			
30" x 30"	CB2230	CBR1730 CBR1742				
30" x 42"	CB3030	CBR2230 CBR2242				
30" x 48"	CB3030	CBR2230 CBR2242				
36" x 36"	CB3030	CBR3030 CBR2242				
42" x 42"	CB3030	CBR3030 CBR3042				
24" dia.	CB2230	CBR1730 CBR1742				
30" dia.	CB2230	CBR1730 CBR1742				
36" dia.	CB3030	CBR2230 CBR2242				
42" dia.	CB3030	CBR3030				
48" dia.		CBR3030				

CAFE TABLE	TOPS				
Model	Size	WT	Model	Size	W T
No	W x L x H	LBS	No	W x L x H	LBS
	i rd core , vinyl ed urface, 1-3/16" th		Plywood Core, PermaTuff™ ed Laminate Surface, 1-1/16" thic		
T2424F	24" x 24"	21	T2424EFP	24" x 24"	14
T2430F	24" x 30"	28	T2430EFP	24" x 30"	18
T2472F	24" x 72"	75	T2472EFP	24" x 72"	53
T2496F	24" x 96"	102	T2496EFP	24" x 96"	72
T3030F	30" x 30"	36	T3030EFP	30" x 30"	25
T3042F	30" x 42"	53	T3042EFP	30" x 42"	37
T3048F	30" x 48"	62	T3048EFP	30" x 38"	43
T3636F	36" x 36"	55	T3636EFP	36" x 36"	38
T4242F	42" x 42"	77	T4242EFP	42" x 42"	54
TR24F	24" dia.	21	TR24EFP	24" dia.	14
TR30F	30" dia.	36	TR30EFP	30" dia.	25
TR36F	36" dia.	55	TR36EFP	36" dia.	38
TR42F	42" dia.	77	TR42EFP	42" dia.	54
TR48F	48" dia.	102	TR48EFP	48" dia.	72

Standard edge color is black.










To adjust, simply press the snaplock button and slide the leg insert to the desired position.



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.



Optional solid %* thick plywood is surfaced with high pressure plastic laminate, sealed with a backing sheet and edged with thick vinyl molding.

FA SERIES

TABLE STYLE	Model No	Size W x L	TABLE HT	O PTIONS JUNIOR	WT LBS
SEMINAR	2185FA	18" x 60"	22"-29"	18"-25"	48
	2186FA	18" x 72"	22"-29"	18"-25"	52
	2188FA	18" x 96"	22"-29"	18"-25"	63
	2245FA	24" x 60"	22"-29"	18"-25"	55
	2246FA	24" x 72"	22"-29"	18"-25"	62
	2248FA	24" x 96"	22"-29"	18"-25"	79
UTILITY	2305FA	30" x 60"	22"-29"	18"-25"	62
	2306FA	30" x 72"	22"-29"	18"-25"	72
	2308FA	30" x 96"	22"-29"	18"-25"	90
	2366FA	36" x 72"	22"-29"	18"-25"	82
	2368FA	36" x 96"	22"-29"	18"-25"	104
PLYWOOD TOP	2305EFA	30" x 60"	22"-29"	18"-25"	50
	2306EFA	30" x 72"	22"-29"	18"-25"	56
	2308EFA	30" x 96"	22"-29"	18"-25"	70
JUNIOR HEIGHT					
RECTANGLE	K2305FA	30" x 60"	22"-29"	18"-25"	58
	K2306FA	30" x 72"	22"-29"	18"-25"	68
	K2308FA	30" x 96"	22"-29"	18"-25"	86
RECTANGLE plywood top	K2305EFA	30" x 60"	22"-29"	18"-25"	46
	K2306EFA	30" x 72"	22"-29"	18"-25"	56
	K2308EFA	30" x 96"	22"-29"	18"-25"	74


FOLDING CHAIRS





Midwest's Folding chairs are specially designed for easy handling and compact storage. Their light weight makes it easy to carry a number of chairs at one time to reduce set up and tear down time. Designed to nest when stacked, as many as 68 chairs may be stored and moved on our convenient flat stacking caddy. Up to 120 chairs may be moved and stored on our two-tier caddie for optimum convenience.

Seats and backs are injection molded of resilient, high-impact polypropylene plastic that is easy to clean and durable enough to withstand may years of tough use. Our chip resistant, powdercoated enamel finish protects the frame and makes cleaning easy.









CHAIR STYLE	Model No	Frame Color	SEAT BACK COLOR	Wτ	
	CPF2MS CPF2MC CPF2MR CPF2MG CPF2MB CPF2BB CPF2NN CPF2NH CPF2WW	Medium Gray Medium Gray Medium Gray Medium Gray Medium Gray Black Neutral Neutral White	Slate Blue Royal Blue Burgundy Charcoal Black Black Neutral Chocolate Brown Bright White	6.8 6.8 6.8 6.8 6.8 6.8 6.8 6.8	
		r models are dining pitch pitch available upon req			
	ACG ARG ARS ARB	Ganger Clip Replacement Glide Replacement Seat Replacement Back			





TWO TIER CADDY



SINGLE LEVEL CADDY



OPTIONAL ADJUSTABLE CHAIR SUPPORT

ACH - For single level caddies

ACHU - For understage caddies

Weight:

Model No: CC60

64"L x 21"W x 381/2"H (28-30 cap) Size: 53 lbs

Weight:

Model No:

76"L x 21"W x 381/2"H (34-36 cap) Size:

Weight: 57 lbs

Model No: CC84 Size:

88"L x 21"W x 381/2"H (40-42 cap)

Weight: 66 lbs

Model No:

100"L x 21"W x 38½"H (46-48 cap) Size:

Weight: 70 lbs

For understage caddies with 22" high handles, add letter U (i.e. CCU60)



Model No:

66"L x 32"W x 71"H (84-120 capacity) Size:

Weight:



Model No:

42"L x 20"W x 38"H (68 cap) Size:

Weight: 39 lbs



Chair supports adjust horizontally preventing chairs from falling over as they are transported.

MOBILE UTILITY TABLES



MOBILE UTILITY TABLE WITH RISER SHELF

Model No: MB306EF MB308EF 30"W x 72"L x 30"H 30"W x 96"L x 30"H Weight: 108 lbs 130 lbs

Riser shelf included

INDIVIDUAL RISER SHELF

Model No: SB126EF SB128FF Size: 12"W x 72"L x 12"H 12"W x 96"L x 12"H

Weight: 22 lbs 35 lbs

Riser shelf may also be used with most folding tables.



Folds for compact storage

Mobile Utility Tables facilitate the display and movement of equipment, supplies, instructional materials, exhibits and classroom demonstrations throughout your facility. Ideal for use in the classroom, cafeteria, media center, gymnasium and office, mobile utility tables eliminate the need for your staff to hand-carry heavy tables. Plastic laminate tops with plywood core construction and heavy-duty steel frames, assure long-term durability.



MOBILE UTILITY TABLE

Weight:

Model No: MU306EF Size: 30"W x 72"L x 30"H 86 lbs

MU308FF 30"W x 96"L x 30"H

95 lbs

HEAVY-DUTY TABLE CADDIES



Heavy Duty Table Caddies are designed to roll long distances on concrete, tile or carpeted floors. Caddies feature 6" diameter, 13%" wide, wheel, roller bearing axle, swivel plate casters mounted to a heavy gauge welded steel frame. Crossbeams are carpeted and side rails are covered with neoprene rubber to protect tables.





Model No: Size: Weight:

HRTC 61"L x 311/4"W x 421/4"H

81 lbs

Capacity: 8 (48"-72" round tables)

HTEC 61"L x 311/4"W x 341/4"H

75 lbs

8 (rectangular/serpentine tables)

HTC72 Model No:

74"L x 31¼"W x 41¾"H Size:

Weight: 82 lbs

10-12 (24"/30"/36"W x 60"/72"L tables) Capacity:

20-24 (18"W x 72"L tables)

HTC96

97½"L x 31¼"W x 41¾"H

93 lbs

10-12 (24"/30"/36"W x 96"L tables) 20-24 (18"W x 96"L tables)

STANDARD TABLE CADDIES



RTCHB Model No:

Size: 61"L x 311/4"W x 411/4"H

Weight: 70 lbs

8 (60"-72" round tables) Capacity:

Standard Duty Table Caddies are designed for use on smooth floors. Caddies feature 4" diameter, 11/4" wide, hard rubber wheel, swivel stem casters mounted to a heavy gauge welded steel frame. Side rails are covered with neoprene rubber to protect tables.





Model No: RTC

Size: 49"L x 31¼"W x 41¼"H

Weight: 65 lbs

Capacity: 8 (48"-60" round tables)





Model No:

74"L x 311/4"W x 361/4"H Weight:

67 lbs

10-12 (24"/30"/36"W x 60"/72"L tables) Capacity:

20-24 (18"W x 72"L tables)



971/2" x 311/4" x 361/4" 78 lb

10-12 (24"/30"/36"W x 96" tables) 20-24 (18"W x 96"L tables)





Model No:

TEC 49"L x 31¼"W x 32¼"H Size: Weight:

64 lbs

8 (rectangular/serpentine tables) Capacity:

STANDING CHORAL RISERS



Modular design allows the flexibility to vary the number of levels to suit the specific needs of each performance. Heavy-duty plywood core deck construction is reinforced by a 16 gauge steel channel frame. Legs of 1.05" diameter, 14 gauge steel tubing are braced with spring-bolt locks to support the heaviest loads with complete safety. Units fold for compact storage and are conveniently stored and transported on double tier caddies.


RISER CADDY



MODEL

REC 50"L x 32"W x 45" H DESCRIPTION

WEIGHT 68 lbs CAPACITY 24 sections







SRP3H



SRP3H





TAPERED RISER SETS

IAI ERED RISER SEIS									
LEVELS	CAP.	LxDxH	Model	Wτ	Model	Wτ	Model	Wτ	
			Hardboard Deck		Polypropylene		Carpet Deck		
2	9-12	66" x 35" x 16"	TRP2H	72	TRP2P	77	TRP2C	79	
3	12-17	72" x 52" x 24"	TRP3H	122	TRP3P	127	TRP3C	131	
4	16-22	78" x 69" x 32"	TRP4H	174	TRP4P	182	TRP4C	188	

Guardrails are recommended

STRAIGHT RISER SETS

LEVELS	CAP.	LxDxH	Model	Wτ	Model	Wτ	Model	Wτ
			Hardboard Deck		Polypropylene		Carpet Deck	
2	15-19	96" x 35" x 16"	SRP2H	132	SRP2P	136	SRP2C	140
3	20-26	96" x 52" x 24"	SRP3H	202	SRP3P	208	SRP3C	214
4	25-32	96" x 69" x 32"	SRP4H	277	SRP4P	285	SRP4C	293

Guardrails are recommended



Safety tested and listed by Underwriters Laboratories, Midwest mobile stages are safe for use in your facility.

One person can roll Midwest mobile stages easily from storage to the event location. Opening the stage deck automatically lifts casters from the floor to prevent movement when the stage is in use. Integral dropin couplings allow stages to be joined together. Stages safely support a uniform load of more than 200 pounds per square foot.





For added safety our exclusive, automatic latch keeps stage decks locked vertically until you are ready to open the stage for use.



From compact storage to event location, mobile stages save set-up time and increase facility flexibility.



MOBILE STAGES

Size		HARDBOARD DECK		POLYPROPYLEN	E DECK	CARPET DECK	
DxL	Нт	Model No	W⊤	Model No	WT	Model No	WT
	8"	MS08H	203	MS08P	215	MS08C	227
4' x 8'	16"	MS16H	234	MS16P	246	MS16C	258
4 X O	24"	MS24H	254	MS24P	266	MS24C	278
	32"	MS32H	269	MS32P	281	MS32C	303
	8"	MSW08H	222	MSW08P	240	MSW08C	258
6' x 8'	16"	MSW16H	252	MSW16P	270	MSW16C	288
0 7 0	24"	MSW24H	280	MSW24P	298	MSW24C	316
	32"	MSW32H	295	MSW32P	313	MSW32C	331



Midwest portable stage platforms may be ordered in the same height to assemble a performing stage, or they may be ordered in up to 5 different heights to construct seated band and choral risers. Units fold to store in less than 2" in height when stacked. Dual height models allow easy conversion from seated risers to performing stages when needed. Units are constructed of heavy gauge steel and laminated plywood core decking for unsurpassed safety and durability. Unfold from storage to setup in seconds. Sturdy for long life and rigid for perfect safety. Shipped completely assembled.





The **midwest** Advantage



Stage and riser decks are constructed with solid plywood, laminated with tempered hardboard on top and bottom. Decks are surrounded and supported by 16 gauge formed steel channels for maximum carrying capacity.



Integral drop-in couplings allow stage and riser sections to be ganged together at the same level when set up as a stage, or to be ganged at different levels when set up in a riser arrangement.

DUAL HEIGHT MODELS



SINGLE HEIGHT UNITS

SINGLE REIGHT UNITS								
	Size	HARDBOARD	DECK	POLYPROPYLE	NE DECK	CARPET D	ECK	
DxL	Нт	Model No	WT	Model No	Wτ	Model No	Wт	
	8"	3608H	68	3608P	71	3608C	74	
3' x 6'	16"	3616H	78	3616P	81	3616C	84	
3 X 0	24"	3624H	88	3624P	91	3624C	94	
	32"	3632H	98	3632P	101	3632C	104	
	8"	3808H	100	3808P	104	3808C	108	
	16"	3816H	110	3816P	114	3816C	118	
3' x 8'	24"	3824H	120	3824P	124	3824C	128	
	32"	3832H	130	3832P	134	3832C	138	
	40"	3840H	140	3840P	144	3840C	148	
	8"	4608H	100	4608P	104	4608C	108	
4' x 6'	16"	4616H	105	4616P	109	4616C	113	
	24"	4624H	113	4624P	117	4624C	121	
	8"	4808H	142	4808P	148	4808C	154	
	16"	4816H	147	4816P	153	4816C	159	
4' x 8'	24"	4824H	155	4824P	161	4824C	167	
	32"	4832H	165	4832P	171	4832C	177	
	40"	4840H	180	4840P	186	4840C	192	

3'x 4' units are available upon request. Guardrails are recommended for all stages.

DUAL HEIGHT UNITS

Size		HARDBOARD DECK		POLYPROPYLEN	IE DECK	CARPET DECK	
DxL	Нт	Model No	Wт	Model No	Wт	Model No	Wτ
	8" or 16"	3808DH	120	3808DP	124	3808DC	128
01 01	16" or 24"	3816DH	130	3816DP	134	3816DC	138
3' x 8'	24" or 32"	3824DH	135	3824DP	139	3824DC	143
	32" or 40"	3832DH	140	3832DP	144	3832DC	148
	8" or 16"	4808DH	162	4808DP	168	4808DC	174
4! v 0!	16" or 24"	4816DH	166	4816DP	172	4816DC	178
4' x 8'	24" or 32"	4824DH	170	4824DP	176	4824DC	182
	32" or 40"	4832DH	175	4832DP	181	4832DC	187

3' x 4', 3' x 6', 4' x 4' and 4' x 6' units are available upon request. Guardrails are recommended for all stages.



Straight Riser Sections

Straight riser sections may be used to construct straight riser sets as pictured below or to expand the width and depth of horseshoe, winged and arc shaped riser configurations.



STRAIGHT RISER SECTIONS


22

Set Type	Platform Size	Hardboa	rd Deck	Carpet Deck		
	DxΗ	Model	WT	Model	WT	
Choral	36" x 96"	C363H	354	C363C	378	
Band	48" x 96"	B483H	468	B483C	504	

Three levels – for use at center or ends of riser sets. Each section includes one each 8", 16" and 24" high platforms and rear guard rails.

All choral and band layouts below may be constructed from the riser set


Choral Riser Configurations



Set Type	Platform Size	Hardboard Deck		Carpet Deck		
	DxH	Model	WT	Model	WT	
Choral	36" x 96"	C600H	2198	C600C	2318	

Base sets include platforms and pie-shaped sections as shown and rear guard rails.

Band Riser Configurations



Set Type	Platform Size	Hardboard Deck		Carpet Deck		
	DxH	Model	WT	Model	WT	
Band	48" x 96"	B600H	2572	B600C	2804	

Base sets include platforms and pie-shaped sections as shown and rear guard rails.





SEATED TAPERED RISER SETS

Size	Hardboard Deck		PolyProp. Deck		CARPET DECK	
LxDxH	Model	Wτ	Model	Wт	Model	Wт
36" x 60" x 8"	TP08H	57	TP08P	58	TP08C	61
36" x 72" x 16"	TP16H	80	TP16P	83	TP16C	85
36" x 84" x 24"	TP24H	95	TP24P	98	TP24C	101
36" x 96" x 32"	TP32H	110	TP32P	117	TP32C	119

Capacitys include singers seated at floor level.

LAYOUT DIMENSIONS



LE	VELS	1 SECTION	2 SECTIONS	3 SECTIONS	4 SECTIONS	5 SECTIONS	6 SECTIONS	7 SECTIONS	8 SECTIONS	9 SECTIONS
1	W x D	5'0" x 3'0"	9'11" x 3'9"	14'6" x 4'4"	18'9" x 5'7"	22'5" x 6''7"	25'5" x 8'6"	27'10" x 9'11"	29'5" x 12'2"	30'4" x 13''10"
	Cap.	5	10	15	20	25	30	35	40	45
2	W x D	6'0" x 6'0"	11'0" x 6'9"	17'3" x 7'4"	22'4" x 8'9"	26'9" x 9'7"	30'6" x 11'7"	33'6" x 12'11"	35'6" x 15'3"	36'6" x 16'10"
	Cap.	9	81	27	36	45	54	63	72	81
3	W x D	7'0" x 9'0"	13'10" x 9'10"	20'4" x 10'4"	26'2" x 11'9"	31'3" x 12'9"	35'8" x 14'8"	38'10" x 16'2"	41'0" x 18'4"	42'3" x 12'9"
	Cap.	13	26	39	52	65	78	91	104	117
4	W x D	8'0" x 12'0"	15'9" x 13'0"	23'2" x 13'4"	30-0" x 14'9"	35'10" x 15'10"	40'9" x 17'8"	44-6" x 19'2"	47'0" x 21'6"	48'6" x 23'2"
	Cap.	18	36	54	72	90	108	126	144	162

ACCESSORIES AND COLOR SELECTION

SKIRTING COLORS



Box pleat skirting of fire retardant twill fabric is $\text{Velcro}^{\circledR}$ backed for easy attachment to the stage perimeter.

SKIRTING

Model	Нт	Wτ
SKB08	8"	0.1
SKB16	16"	0.2
SKB24	24"	0.3
SKB32	32"	0.4
SKB40	40"	0.4

Mating Velcro[®] must be ordered separately for stages and risers.




Factory installed Velcro® available upon request.

STAGE AND RISER CADDY



Convenient caddies transport stages & risers to the event location and safely hold each unit until legs are folded open and the unit is rotated to the floor. Holds 6 units.

DECK FINISHES



ST1 (1 step)

ST2 (2 step)

ST3 (3 step)

Polypropylene

Hardboard

Carpet

Black

Gray Polypropylene

FOR USE WITH

8" & 16" high stages

16" & 24" high stages

24" & 32" high stages

77 32" & 40" high stages

PORTABLE STEP UNITS



Steps are surfaced with slip resistant, gray polypropylene. Units clamp securely to any area of the stage perimeter. Wheels are furnished on two and three step units for easy handling.

METAL FINISH COLORS

20

39

58



36" x 14" x 47"

36" x 27" x 16"

36" x 40" x 24"

ST4 (4 step) 36" x 52" x 32"

All steps are 12" deep by 34" wide.

Unless otherwise specified, brown metal color is standard with all mushroom tan carpeted surfaces and hardboard surfaces. Black metal color is standard with all other carpeted and polypropylene surfaces.

CARPET COLORS





midwest PODDICTS

1414 S. Western Avenue Chicago, Illinois 60608 312-666-3366 800-621-4716 Fax 312-666-2606

พี่พี่พื้.midwestfolding.com