All our choral risers and stages manufactured by Midwest Folding Products offer outstanding value and durability. All key components are manufactured in the USA in the same factory maintaining high quality at the lowest possible cost while assuring close control of delivery time. You can expect the equipment you buy from us to endure many years of rough use. Midwest Folding Products designs durable, high quality products that out perform all other brands and exceed your expectations. Safety is built into every feature with

sturdy decking reinforced by 16 gauge steel channel frame and 14 gauge leg tubing braced with spring bolt locks. Staging is UL tested for 200lbs. per square foot of load. All units carry a 10 year manufacturer's warranty. With a wide variety of configurations, color, and style we are sure to have the riser or stage that will perfectly meet your need.

## Standing Choral Risers

Modular design allows flexibility to vary the number of levels to suit the specific needs of each performance. Available in tapered or straight sets with a variety of deck finishes and colors.

## **Deck Finishes**

- Hardboard
- Carpet
- Black Polypropylene
- Gray Polypropylene

## **Carpet Colors**

- Charcoal Gray
- Fiesta Red
- Rainforest Green
- Twilight Blue
- Mushroom Tan

Pewter Gray





2 Level / 9-12

3 Level / 12-17

4 Level / 16-22

Tapered Riser Units - Sold As Sets

Order Code Levels & Capacity

		N			
					nen ordering.
LxDxH	Hardboard De	eck Po	olypro. Decl	<b>‹</b>	Carpet Deck
66" x 35" x 16"				Т	

(j)		
MI	VIIV	M
P	THE	Mir
	100	The Real Property lies

CRT-2

CRT-3

CRT-4



72" x 52" x 24'

78" x 69" x 32

Straight Riser Units - Sold As Sets					Specify colors a	and Decking style v	vhen ordering.
	Order Code	Code Levels & Capacity L x D x H Ha		Hai	rdboard Deck	Polypro. Deck	Carpet Deck
	CRS-2	2 Level / 15-19	96" x 35" x 16"				
	CRS-3	3 Level / 20-26	96" x 52" x 24"				
	CRS-4	4 Level / 25-32	96" x 69" x 32"				
ľ							

## **Portable Step Units**

Steps are surfaced with slip resistant, gray polypropylene. Units clamp securely to any area of the stage perimeter. Each step surface is 12" deep and 32" wide. Three and four step units are furnished with two wheels for ease of handling







## Stage and Riser Caddy

Convenient caddies transport stages & risers to the event location and safely hold each unit until legs are folded open and the unit is rotated to the floor. Holds 6 units. Available in Black or Brown. Caddy measures 44"L x 30"W x 60"H.

SRC.....\$539.95



Order Code	W x D x H x Rail Height	For Use With	Price
ST2 (2 Steps)	36" x 27" x 16" x 55"	16" & 24" High Stages	
ST3 (3 Steps)	36" x 40" x 24" x 63"	24" & 32" High Stages	
ST4 (4 Steps)	36" x 52" x 32" x 71"	32" & 40" High Stages	

# **Standing Riser Caddy**

For use with standing riser units with a capacity of 24

sections. Available in Black or Brown. Measures 50"L x 32"W x 45"H.

REC....\$200.00

# Back Guard Rails w/Chair Stops

Order Code	Length x Height	Price
GRU30	30" x 30"	
GRU36	36" x 30"	
GRU48	48" x 30"	

Standard finish is powder coat (Installation requires drilling the decking)

Steps - Include Hand Rails

Side Guard Rails						
Order Code	Туре	Height	Price			
GR2	2 Level	36"				
GR3	3 Level	45"				
GR4	4 Level	72"				

Standard finish is black powder coat (Installation requires drilling the decking)

BAND & ORCHESTR



Midwest portable stage and seated riser units offer the best value on the market today. Platforms may be ordered in the same height to assemble a performing stage, or they may be ordered in up to 5 different heights to construct seated band and choral risers. Units fold to store in less than 2" in height each when stacked. Dual height models allow easy conversion from seated risers to performing stages when needed. Units are constructed of heavy gauge steel and laminated plywood core decking for unsurpassed safety and durability.

Single Height Units		Specify colors a	nd Decking style when ordering. See pg 106.
Order Code	DxL	Height	Hardboard Deck   Polypro. Deck
SRS-A8	3′ x 6′	8″	Volatile energy, labor and steel cost i
SRS-A16	3′ x 6′	16"	have made it impossible to maintain
SRS-A24	3′ x 6′	24"	pricing on this product line. Please ca
SRS-A32	3′ x 6′	32"	1-800-666-7565 x10 for a custom qu
SRS-B8	3′ x 8′	8″	product line.
SRS-B16	3′ x 8′	16"	
SRS-B24	3′ x 8′	24"	
SRS-B32	3′ x 8′	32"	
SRS-B40	3′ x 8′	40"	
SRS-C8	4′ x 6′	8″	
SRS-C16	4′ x 6′	16"	
SRS-C24	4' x 6'	24"	
SRS-D8	4' x 8'	8″	
SRS-D16	4' x 8'	16"	
SRS-D24	4' x 8'	24"	
SRS-D32	4' x 8'	32"	
SRS-D40	4' x 8'	40"	

Hardboard Deck | Polypro. Deck | Carpet Deck Volatile energy, labor and steel cost increases have made it impossible to maintain published pricing on this product line. Please call Dan at 1-800-666-7565 x10 for a custom quote on this product line.





Dual Height Portable Stage and Riser Units allow quick and easy conversion between stage and riser set up with unsurpassed versatility. The flexibility offered with this product reduces storage requirements and unnecessary expense.

Changing heights is easy with the adjustable height mechanism. Just remove the pin, pull out the leg, flip the leg 180 degrees, push the leg back in and reinstall the holding pin.



<b>Dual Height Units</b> - Sold As Sets Spe							
Order Code	DxL	Height					
SRD-A1	3′ x 8′	8" or 16"					
SRD-A2	3′ x 8′	16" or 24"	Γ				
SRD-A3	3′ x 8′	24" or 32"	Γ				
SRD-A4	3′ x 8′	32" or 40"	Γ				
SRD-B1	4' x 8'	8" or 16"	Γ				
SRD-B2	4' x 8'	16" or 24"	Γ				
SRD-B3	4' x 8'	24" or 32"					
SRD-B4	4' x 8'	32" or 40"	ſ				

Hardboard Deck Polypro. Deck Carpet Deck Volatile energy, labor and steel cost increases have made it impossible to maintain published pricing on this product line. Please call Dan at 1-800-666-7565 x10 for a custom quote on this product line.

cify colors and Decking style when ordering. See pg 106.



One person can roll Midwest mobile stages easily from storage to the event location. Opening the stage deck automatically lifts casters from the floor to prevent movement when stage is in use. Integral drop-in couplings allow stages to be joined together. Stages safely support a uniform load of more than 200 pounds per square foot.

For added safety the exclusive, automatic latch keeps stage


Mobile Stages decks locked vertically until you are ready to open the stage for use. From compact

storage to event location, mobile stages save set-up time and increase facility flexibility.



e	Mobile Stage	s Spe	cify colors and Decking style when ordering. See pg 106.					
	Order Code	DxLxH	Hardboard Deck   Polypropylene Deck   Carpet Dec					
	MBS-A8	4' x 8' x 8"	Volatile energy, labor and steel cost increases					
_	MBS-A16	4' x 8' x 16"	have made it impossible to maintain published					
	MBS-A24		pricing on this product line. Please call Dan at					
F	MBS-A32		1-800-666-7565 x10 for a custom quote on this					
٠	MBS-B8	6' x 8' x 8"	product line.					
1	MBS-B16	6' x 8' x 16"						
ı	MBS-B24	6' x 8' x 24"						
1	MBS-B32	6' x 8' x 32"						





TransFold is ready to go wherever your choir performs. Builtin wheels make it easy to roll the TransFold unit from the classroom to the auditorium or up stairways and on to a bus or van. Upon arrival at the performance venue your TransFold risers set up in seconds so they will be ready when you are. Midwest's exclusive, gas-spring assisted design allows the unit to open with moderate foot pressure, taking the strain out of set up. This also insures a safe, controlled motion when folding the unit for transportation and storage.

Unit Type	Dimensions Capacities	1 Section	2 Sections	3 Sections	4 Sections	5 Sections	6 Sections
72" Wide	Width x Depth	8'-0" x 4'x8"	11'-10" x 5'-5"	17'-5" x 6'-1"	22'-6" x 7'-6"	27'-0" x 8'-9"	30'-10" x 10'-9"
3 Levels	Group Capacity	12-16	24-32	36-48	48-64	60-80	72-96
78" Wide	Width x Depth	8'-6" x 6'-2"	12'-10" x 7'-0"	18'-10" x 7'-7"	24'-5" x 9'-2"	29'-8" x 10'-4"	33'-5" x 12'-4"
4 Levels	Group Capacity	16-21	28-37	40-51	52-69	64-85	76-101
48" Wide	Width x Depth	4'-0" x 4'-8"	7′-11″ x 5′-1″	11'-7" x 5'-5"	15'-0" x 6'-3"	18'-0" x 6'-11"	20'-7" x 6'-0"
3 Levels	Group Capacity	8-12	16-24	24-36	32-48	40-80	48-72
54" Wide	Width x Depth	4'-6" x 6'-2"	8'-11" x 5'-8"	13'-1" x 7'-0"	16'-11" x 7'-10"	20'-3" x 8'-6"	23'-2" x 9'-8"
4 Levels	Group Capacity	11-16	19-28	27-40	35-52	43-64	51-76

Capacities include a row of singers on the floor. The capacity numbers shown above reflect the number of high school students that will fit standing shoulder to shoulder as well as the number that will fit if standing with shoulders overlapping.









Drop-in couplings

securely connect

accidental

all units to prevent

movement during

the performances





## Specifications

General - Risers shall consist of three, 18' deep steps with tapered ends, 8", 16" and 24" high that are permanently joined with hinged mechanisms to enable the unit to open and fold in a unitized manner. A fourth level, 32" high, add-on step may be added if

desired. each unit shall be equipped with integral wheels to facilitate transportation when folded and to allow easy positioning after the unit has been set up for use.

Frame - Risers shall be supported by tubular steel frames of 1"x1", 16 gauge, zinc plated steel. Individual frame sections shall be joined with 11 gauge, knuckle type hinges, secured with grade five, 5/16" bolts and locking nuts.

**Deck** - Riser decks are to be constructed of 3/4" thick plywood, surfaced with polyolefin carpet. Decks are encased and supported by 1 13/16" high, channels of 16-gauge, powdercoated steel.

**<u>Hands-Free Gas-Spring Assist</u>** - Each unit shall be equipped with a gas-spring cylinder that provides sufficient lifting force to allow an adult of average size and weight to set up the unit by applying moderate foot pressure to the unit.

Automatic Safety Lock - Each unit shall be equipped with a spring actuated locking device that automatically engages upon opening to prevent the unit from folding while in use. As an added safety measure, a horizontal force of approximately 48 lbs. shall be required, while simultaneously operating the lock release, to begin folding the unit.

**Drop-in Coupling** - Units are to be furnished with zinc plated, drop-in couplings, formed of 3/8" diameter round bar. Couplings shall provide a suitable handle for lifting and transporting the folded unit.

**Optional Backrails** - Backrails shall be constructed of powder coated tubular steel and shall be equipped with integral clamp-on attachments for fast installation without tools

To fold the unit for transportation and compact storage, activate the upright lock release that is conveniently located under the upper level deck and gently push the unit horizontally until it folds flat.

TransFold units are equipped with wheels
to allow easy positioning during set up
and teardown. We strongly recommend
that the option backrails be used for
added safety.

Model	Description	Dimensions	Wt.	Price
TFR72	72" TransFold unit	72″W x 55″D x 24″H	130	
TFR48	48" TransFold unit	48"W x 55"D x 24"H	101	
TFA72	4th step add-on unit for TFR72	78″W x 32″H	56	
TFA48	4th step add-on unit for TFR48	54″W x 32″H	32	
TFB72	Backrail for TFR72 or TFA72	70″W x 42″H	30	
TFB48	Backrail for TFR48 or TFA48	48″W x 42″H	23	
TFS54	Siderail (Pair)	52"D x 55.5"H	48	

This is a fun, oversized one octave piano keyboard made of soft, safe foam that allows children to play musical notes as well as 15 pre-recorded melodies with a press of a hand or foot.

810066

31"L x 43" W x 1/2" The Piano Stepper comes with an instructional booklet as well as two "AA" batteries.

Soft oversized piano keys play 8 note scale. Just press Little Wille hand to activate the

note by note play mode. To play one of the nine programmed songs, a child just needs to step on one of the pictures. Waterproof, wipe-clean vinyl surface. 3 x AA batteries required (Not included)

471519

471520

This clever music maker features preprogrammed music that kids can play on their own. Push one of the auto-play buttons to air-strum along with one of the

nine songs. Simply push on one of six different instruments to change the sound. A coded keyboard lets kids air-play to their favorite songs. 3 x AA batteries required (Not included)

## BABY GRAND PIANO

Our professional sounding Baby Grand comes with 10 built-in rhythms including March, Soft Rock, Rumba and Waltz. Kids can play along with the 15 demo songs, or express themselves with

their own melodies. Recording function lets kids listen to newly created tunes. Parent friendly features include adjustable volume and automatic safety shut-off. Requires 3 "AA" batteries 12.5" x 12.5 (not included) x 6.5"

This collection is made up of six cool instruments selected for their ease in playing and quality construction and their musical compatibility. The set item includes a mini-maraca, an egg

shaker, a pair of castanets, sleigh bells, a tambourine, and a solid-wood recorder. Instructions are included which give information about each instrument with a song that can be played by all the instruments together. Everything is packaged in a hip seethrough, re-usable carry bag.

Introduce children to music with this soft, colorful play mat that plays six animal sounds, an eight note scale and eight children's songs. Easy to follow instructions show how to play 8

favorite children's songs or turn a switch and the keys play the songs all by themselves! 3 x AA

batteries required (not included) 35" x 17

471518